## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3027	707/6.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:51
L2	3909	707/200.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
L3	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:52
L4	0	I1 and L3	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
L5	0	I2 and L3	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
L6	0	I2 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:53
L7	0	I1 and L3	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:53
S1	9	(record\$1 near3 fus \$3) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:22
<b>S</b> 2	9	(record\$1 near3 (merg3 or fus\$3)) with (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:23
S3	3475	(record\$1 near3 match\$3) with (database\$1 or data \$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:36

<b>S</b> 4	2278	record\$1 near3 match \$3 near3 (database\$1 or data\$1set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:37
<b>S</b> 5	4	(record\$1 near3 match\$3 near3 (database\$1 or data \$1set\$1)) and (record \$1 near3 compar\$4 near3 (database\$1 or data\$1set\$1) near3 criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:38
<b>S</b> 6	1	(record\$1 near3 match\$3 near3 (database\$1 or data \$1set\$1)) and (record \$1 near3 compar\$4 near3 (database\$1 or data\$1set\$1) near3 criteria) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:41
S7	19	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:50
<b>S</b> 8	1	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) with rank\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S9	7	(hierarch\$4 or tree) with variable\$1 with (data\$1bases or data \$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S10	81	((hierarch\$4 or tree) with variable\$1) and (compar\$4 with (data \$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:05

S11	0	((hierarch\$4 or tree) with variable\$1) with (compar\$4 near3 (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S12	19	((hierarch\$4 or tree) with variable\$1) and (compar\$4 near3 (data\$1bases or tables or data\$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S13	49	(variable\$1 with (compar\$4 near3 (data\$1bases or tables or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:38
S14	6	(variable\$1 near3 (compar\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:51
S15	13	((attribute\$1 or parameter\$1) near3 (compar\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:54
S16	2	((attribute\$1 or parameter\$1) near3 (co\$1relation\$4 near3 (data\$1bases or data \$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 10:16
S17	3	"20030182296" or "20020013735" or "6556987".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 10:20
S18	4	"20030182296" or "20020013735" or "6556987".pn. or "6370547".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 11:12

## 1/28/2009 8:53:35 PM

C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 10576800.wsp